


Hygiene-Institut des Ruhrgebiets

Institut für Umwelthygiene und Toxikologie

Direktor: Prof. Dr. rer. nat. L. Dunemann

Träger: Verein zur Bekämpfung der Volkskrankheiten im Ruhrkohlengebiet e.V.

Hygiene-Institut, UMWELT Postfach 10 12 55 · 45812 Gelsenkirchen



Visitors/ postal address:

Rotthauer Str. 21, 45879 Gelsenkirchen,

Switchboard (0049209) 9242-0
Fax (0049209) 9242-222
Internet www.hyg.de

Reference: W-263535ek-15-Ho
Contact person: Dipl.-Ing. (FH) S. Horn

Certificate

Hygiene – conformity check

Testing Center:	Hygiene Institut des Ruhrgebiets Institut für Umwelthygiene und Toxikologie Rotthauer Straße 21 49879 Gelsenkirchen
Test specimen:	humidification device Type HEF2E with and without circulation use
Producer:	Fisair air humidity control Uranio 20, Poligono Industrial Aimayr 28330 S. Martin de la Vega, Madrid SPAIN
Basis of the testing:	✓ VDI 6022, Blatt 1 (07/2011) ✓ VDI 3803, Blatt 1 (02/2010) ✓ DIN 1946, Teil 4 (12/2008) ✓ SWKI VA104-01 (04/2006)
Validity period:	5 years (12/2015 – 12/2020)
Test report:	W-263535-15-Ho



In conclusion it can be stated that the examined humidification device Type HEF2E with and without circulation use, as specified in the test report W-263535-15-Ho, is in compliance with the above mentioned regulations.

(Priv.-Doz. Dr. G.-J. Tuschewitzki)
Head of the Department of Water
Hygiene and Environmental
Microbiology

(Dipl.-Ing. (FH) S. Horn)
Section head of Air Conditioning technology
Department of Water Hygiene and Environmental
Microbiology

issued 01.12.2015, Gelsenkirchen

In the context of the hygiene - conformity check the hygienic relevant requirements of the above-mentioned guidelines were tested. Requirements of other guidelines, which refer to the above-mentioned guidelines, were not tested. Furthermore, the hygiene - conformity check does not cover toxicological and sensorial tests of the used materials.